

SY-KP8VE-BW	UK 8 button Keypad Controller with Ethernet and rotary volume control. Tri-colour LEDs, 4 bi-directional RS232/IR ports.2x Input ports, 2x Logic output ports Connect up to 10 IP Devices 2-gang white faceplate	633,89
SY-KP8VE-EW	Euro 8 button Keypad Controller with Ethernet and rotary volume control. Tri-colour LEDs, 4 bi-directional RS232/IR ports..2x Input ports, 2x Logic output ports Connect up to 10 IP Devices 2-gang white faceplate	633,89
SY-KP8VE-BA	UK 8 button Keypad Controller with Ethernet and rotary volume control. Tri-colour LEDs, 4 bi-directional RS232/IR ports.2x Input ports, 2x Logic output ports Connect up to 10 IP Devices 2-gang brushed aluminium faceplate	645,70
SY-KP8VE-EA	Euro 8 button Keypad Controller with Ethernet and rotary volume control. Tri-colour LEDs, 4 bi-directional RS232/IR ports..2x Input ports, 2x Logic output ports Connect up to 10 IP Devices 2-gang brushed aluminium faceplate	645,70
SY-KP10-BW	UK 10 button Keypad Controller. Tri-colour LEDs, 4 bi-directional RS232/IR ports..2x Input ports, 2x Logic output ports 2-gang white faceplate	570,08
SY-KP10-EW	Euro 10 button Keypad Controller. Tri-colour LEDs, 4 bi-directional RS232/IR ports..2x Input ports, 2x Logic output ports 2-gang white faceplate	570,08
SY-KP10-EA	Euro 10 button Keypad Controller. Tri-colour LEDs, 4 bi-directional RS232/IR ports..2x Input ports, 2x Logic output ports 2-gang brushed aluminium faceplate	581,89
SY-KP10E-BW	UK 10 button Keypad Controller with Ethernet. Tri-colour LEDs, 4 bi-directional RS232/IR ports..2x Input ports, 2x Logic output ports Connect up to 10 IP Devices 2-gang white faceplate	695,33
SY-KP10E-EW	Euro 10 button Keypad Controller with Ethernet. Tri-colour LEDs, 4 bi-directional RS232/IR ports..2x Input ports, 2x Logic output ports Connect up to 10 IP Devices 2-gang white faceplate	695,33
SY-KP10E-EA	Euro 10 button Keypad Controller with Ethernet. Tri-colour LEDs, 4 bi-directional RS232/IR ports..2x Input ports, 2x Logic output ports Connect up to 10 IP Devices 2-gang brushed aluminium faceplate	707,15
SY-KP10NV-BW	UK 10 button Keypad Controller with navigation keys and rotary volume control. Tri-colour LEDs, 4 bi-directional RS232/IR ports..2x Input ports, 2x Logic output ports UK 3-gang white faceplate	856,04
SY-KP10NVE-BW	UK 10 button Keypad Controller with Ethernet, navigation keys and rotary volume control. Tri-colour LEDs, 4 bi-directional RS232/IR ports. .2x Input ports, 2x Logic output ports Connect up to 10 IP Devices UK 3-gang white faceplate	867,85

NEW CONTROLLERS

Keypad Controllers		PVP
SY-KCS2-W-xx	2 button Keypad Controller. Tri-colour LEDs, 1x bi-directional RS232, 1x bi-directional RS232/2x IR ports, 2x Configurable GPIO ports, 1-gang faceplate in WHITE	262,21
SY-KCS2-B-xx	2 button Keypad Controller. Tri-colour LEDs, 1x bi-directional RS232, 1x bi-directional RS232/2x IR ports, 2x Configurable GPIO ports, 1-gang faceplate In BLACK	267,58
SY-KCS2-A-xx	2 button Keypad Controller. Tri-colour LEDs, 1x bi-directional RS232, 1x bi-directional RS232/2x IR ports, 2x Configurable GPIO ports, 1-gang faceplate in Brushed Aluminium	272,95
SY-KCS4-W-xx	4 button Keypad Controller, Tri-colour LEDs, 2x bi-directional RS232, 2x bi-directional RS232/4x IR ports, 4x Configurable GPIO ports, 1-gang faceplate in WHITE	320,21
SY-KCS4-B-xx	4 button Keypad Controller, Tri-colour LEDs, 2x bi-directional RS232, 2x bi-directional RS232/4x IR ports, 4x Configurable GPIO ports, 1-gang faceplate In Black	325,59
SY-KCS4-A-xx	4 button Keypad Controller. Tri-colour LEDs, 2x bi-directional RS232, 2x bi-directional RS232/4x IR ports, 4x Configurable GPIO ports, 1-gang faceplate in Brushed Aluminium	330,96
SY-KCS4V-W-xx	4 button Keypad Controller with rotary volume control. Tri-colour LEDs, 2x bi-directional RS232, 2x bi-directional RS232/4x IR ports, 4x Configurable GPIO ports, 1-gang faceplate in WHITE	351,37
SY-KCS4V-B-xx	4 button Keypad Controller with rotary volume control. Tri-colour LEDs, 2x bi-directional RS232, 2x bi-directional RS232/4x IR ports, 4x Configurable GPIO ports, 1-gang faceplate In Black	356,74
SY-KCS4V-A-xx	4 button Keypad Controller with rotary volume control. Tri-colour LEDs, 2x bi-directional RS232, 2x bi-directional RS232/4x IR ports, 4x Configurable GPIO ports, 1-gang faceplate in Brushed Aluminium	362,11
SY-KCS6V-W-xx	6 button Keypad Controller with rotary volume control. Tri-colour LEDs, 2x bi-directional RS232, 2x bi-directional RS232/4x IR ports, 4x Configurable GPIO ports, 1-gang faceplate in WHITE	387,89
SY-KCS6V-B-xx	6 button Keypad Controller with rotary volume control. Tri-colour LEDs, 2x bi-directional RS232, 2x bi-directional RS232/4x IR ports, 4x Configurable GPIO ports, 1-gang faceplate in BLACK	393,26
SY-KCS6V-A-xx	6 button Keypad Controller with rotary volume control. Tri-colour LEDs, 2x bi-directional RS232, 2x bi-directional RS232/4x IR ports, 4x Configurable GPIO ports, 1-gang faceplate in Brushed Aluminium	398,63
SY-KCS8-W-xx	8 button Keypad Controller. Tri-colour LEDs, 2x bi-directional RS232, 2x bi-directional RS232/4x IR ports, 4x Configurable GPIO ports, 1-gang faceplate in WHITE	424,41
SY-KCS8-B-xx	8 button Keypad Controller. Tri-colour LEDs, 2x bi-directional RS232, 2x bi-directional RS232/4x IR ports, 4x Configurable GPIO ports, 1-gang faceplate in BLACK	429,79
SY-KCS8-A-xx	8 button Keypad Controller. Tri-colour LEDs, 2x bi-directional RS232, 2x bi-directional RS232/4x IR ports, 4x Configurable GPIO ports, 1-gang faceplate in Brushed Aluminium	435,16
SY-KC4V-W-xx	4 button Keypad Controller with rotary volume control. Tri-colour LEDs, 4x bi-directional RS232, 1x bi-directional RS232/1x RS485/2x IR ports, 1x bi-directional RS232/4x IR ports IR ports, 4x Configurable GPIO ports, 2-gang faceplate in WHITE	400,78
SY-KC4V-B-xx	4 button Keypad Controller with rotary volume control. Tri-colour LEDs, 4x bi-directional RS232, 1x bi-directional RS232/1x RS485/2x IR ports, 1x bi-directional RS232/4x IR ports IR ports, 4x Configurable GPIO ports, 2-gang faceplate in BLACK	406,15
SY-KC4V-A-xx	4 button Keypad Controller with rotary volume control. Tri-colour LEDs, 4x bi-directional RS232, 1x bi-directional RS232/1x RS485/2x IR ports, 1x bi-directional RS232/4x IR ports IR ports, 4x Configurable GPIO ports, 2-gang faceplate in Brushed Aluminium	411,52
SY-KC4VE-W-xx	4 button Keypad Controller with Ethernet and rotary volume control. Tri-colour LEDs, 4x bi-directional RS232, 1x bi-directional RS232/1x RS485/2x IR ports, 1x bi-directional RS232/4x IR ports IR ports, 4x Configurable GPIO ports, POE, 2-gang faceplate in WHITE	551,17

SWITCHERS + SPLITTERS		PVP
BYOD Switchers		PVP
SY-WIZARD-4	Wireless presentation/collaboration Switcher, 1x USB-B 3.0, 1x USB-B 2.0/USB-C, 1x RS232, 2x LAN (1x PoE), 1x 3.5mm Audio Jack Output, Built in WIFI, BYOD (Bring Your Own Device), Supports casting via LAN, Wireless content input up to 1080P, Supports Single, Dual, Triple, or Quad view, Supports wireless Touchback, Inbuilt Whiteboard and On-screen Annotation, Content preview using OSD, De-embedded Audio, Customizable home screen, High standard of data security, with Dual Network, Configurable Settings via Web GUI, 1x HDMI 2.0 Output	670,63
SY-WIZARD-4U	Wireless presentation/collaboration Switcher with 3x USB-B 3.0, 1x HDMI 2.0 Output, 3x USB-B 3.0, 1x USB-C, 1x USB-B 2.0/USB-C, 1x RS232, 2x LAN (1x PoE), 1x 3.5mm Audio Jack Output, Built in WiFi BYOD (Bring Your Own Device), Supports casting via Windows, Android, iOS, macOS and LAN, Wireless content input up to 1080P, Supports Single, Dual, Triple, or Quad view, Supports wireless Touchback, Supports USB Camera/Audio, Compatible with VC platforms, Inbuilt Whiteboard and On-screen Annotation, Content preview using OSD, 'Touch to Show' using the wireless Wand dongles, De-embedded Audio, Customizable home screen, High standard of data security, with Dual Network, Configurable Settings via Web GUI	1057,34
SY-WAND-H	Wireless HDMI+USB-A BYOD dongle, Use with any PC, Laptop, Tablet, Mobile phone, Join in MV mode or in full screen at a touch, Secure and easy to pair up, Requires no software to be installed, Simply Connect & Present (compatible with Wizard 4/4U)	350,94
SY-WAND-C	Wireless USB-C BYOD dongle, Use with any PC, Laptop, Tablet, Mobile phone, Join in MV mode or in full screen at a touch, Secure and easy to pair up, Requires no software to be installed, Simply Connect & Present (compatible with Wizard 4/4U)	350,94
SY-WIFI-DONGLE	WIFI Dongle for Wizard 4, allows Casting Via Windows, Android, iOS, macOS	50,84
4K 18G Seamless Multi-Viewers		
SY-APOLLO-41	4x1 Seamless switching Multi-viewer, HDMI 2.0 4K60 4:4:4 (18G), Full up/down scaler – any resolution, any refresh rate, Multi-View display – Dual, Triple, Quad, PiP, HDCP 2.2 and HDCP 1.x compliant, Extensive EDID and HDCP management, De-embed Audio - Optical Toslink, and L+R Analogue, VKA – Video Keep Alive, Test Pattern generator	572,66
SY-APOLLO-42	4x2 Seamless Multi-Viewer Matrix, HDMI 2.0 4K60 4:4:4 (18G), Full up/down scaler – any resolution, any refresh rate, Multi-View display – Dual, Triple, Quad, PiP, HDCP 2.2 and HDCP 1.x compliant, Extensive EDID and HDCP management, De-embed Audio - Optical Toslink, and L+R Analogue, VKA – Video Keep Alive, Test Pattern generator	1165,63
SY-APOLLO-41U	4x1 Seamless KVM switcher with USB 3.0, HDMI 2.0 4K60 4:4:4 (18G), Full up/down scaler – any resolution, any refresh rate, Multi-View display – Dual, Triple, Quad, Hotkey and roaming mouse option, HDCP 2.2 and HDCP 1.x compliant, Extensive EDID and HDCP management, De-embed Audio - Optical Toslink, and L+R Analogue, 3x USB 3.0 peripheral ports, Test Pattern generator	799,53
4K 18G Fast/Seamless Switchers		
SY-MFS51-18G	Fast Switching 4K 18G 4:4:4 scaling presentation switcher. Input: 3xHDMI, DP, VGA. Output: HDBT + mirrored HDMI. Full up/down scaling of Resolution/ Refresh rate. Audio input: Mic + 5x L/R - De-embedded Audio out - Independent Audio Routing - MIC/Line control - Control: PB, IR, RS232, LAN, Contact closure, Auto Switch	1572,87
SY-MFS51-18G-SET	Fast Switching 4K18G scaling presentation switcher. Input: 3xHDMI, DP, VGA. Output: HDBT + mirrored HDMI. Full up/down scaling of Resolution/ Refresh rate. Audio input: Mic + 5x L/R - De-embedded Audio out - MIC/Line control - Control: PB, IR, RS232, LAN, Contact closure, Auto Switch Contact closure - Includes HDBaseT Receiver.	1794,07
4K 18G Switchers		
SY-HDS41A-18G	SLIM HDMI 2.0 (18G) 4 Port switcher with Audio de-embedding, ARC, Control: Push button, IR, RS232, Auto Switch	264,03
SY-MFS61-18G	Scaling Presentation Switcher - 6 input 4K60 (18G) - 3 HDMI (Up to 4K 18G Compatible), 1 DisplayPort, 1 USB-C, 1 VGA (VGA - scalable up to 1080P) with De-embedder. Control - LAN, RS232, IR, Auto Switch	648,07
Switchers		
SY-MFS-31-H	Compact Switching scaler - 2x HDBaseT and 1x HDMI video Inputs, 1xHDMI output. HDBT in: 4K to 40m 1080P to 70m. Test Pattern Generator, 4K Down Scaler, VKA, HPD Toggle, Temperature Diagnostics, Audio De-embedding via balanced + L/R, Auto switching, EDID/HDCP Management, iPOC, RS232/PB Control (Includes 1 x PSU)	483,82
SY-MSU-121	Presentation Scaling Switcher - 12 Input (10x HDMI + 2x VGA), 2x Mirrored HDMI Outputs. HDMI Input Resolutions up to: 4K30 444 or 4K60 420. Output= 1080P, HDCP Management, EDID control, De-embedded audio. PQ Tally out, Control - contact closure, RS232 / PB / TCP/IP	1220,08
KVM Switchers		
SY-KVM41-U3-18G	4x1 KVM switcher with USB 3.0, HDMI 2.0, 18Gbps - All resolution up to 4K@60Hz 4:4:4, HDR, Supports 2x HID USB, 2x USB 2.0, 2x USB 3.0 type-A peripherals, Supports Dolby Vision, HLG, HDR10, Deep Colour up to 12-bit, Supports LPCM audio up to 7.1, Dolby Atmos, DTS-X, Supports HDCP 2.2 and HDCP 1.4, Extensive EDID and HDCP management L/R Analogue Audio de-embedding, Control - Keyboard hotkey, Mouse hotkey, Front Panel button and RS232,	496,34
4K 18G HDMI Splitters		
SY-HS12E-18G	Slim 1:2 HDMI 2.0 18Gbps Splitter (DA) with EDID management.	155,32
SY-HS14E-18G	Slim 1:4 HDMI 2.0 18Gbps Splitter (DA) with Enhanced EDID management. . 4K-1080P auto Scaling per output	213,22
SY-HS18-18G	Slim 1:8 HDMI 2.0 Splitter 18Gbps (DA) with EDID management.	399,92
Xcalibur 18Gbps Splitters		
SY-HX150-14-18G	Xcalibur 14 18G 1:4 Splitter - 1 HDMI Inputs, 4 Xcalibur(cat6) outputs + 1 Local HDMI - 150m @1080p or 120m @ 4K 60HZ 4:4:4, 4K-1080p Scaler Per output, Supports HDR10, HDR10+, HDR12, HLG and Dolby vision. HDCP Management, Test Pattern Generator, Image Mute, Audio de-embedder Balanced Stereo and Coax S/PDIF), Extensive EDID management. Control: FP, RS232 - Includes 4x Xcalibur Receivers	1278,02
HDBaseT Splitters		
SY-HDBT-231-70	2x 4K UHD HDMI in, 3 x 70m HDBaseT + 1 HDMI out, De-embedded audio, Independent RS232 routing. Bi-directional RS232 broadcasting. Control: RS232, PB	903,30
SY-HDBT-231-70-SET	2x 4K UHD HDMI in, 3 x 70m HDBaseT + 1 HDMI out, De-embedded audio, Independent RS232 routing. Bi-directional RS232 broadcasting. Control: RS232, PB Includes 3x HDBaseT Receiver.	1594,56
SY-HDBT-231-100	2x 4K UHD HDMI in, 3 x 100m HDBaseT + 1 HDMI out, De-embedded audio, Independent RS232 routing. Bi-directional RS232 broadcasting. Control: RS232, PB	1015,56

SY-HDBT-231-100-SET	2x 4K UHD HDMI in, 3 x 100m HDBaseT + 1 HDMI out, De-embedded audio, Independent RS232 routing. Bi-directional RS232 broadcasting. Control: RS232, PB Includes 3x HDBaseT Receiver.	1674,91
SY-HDBT-282-S	2 x 4K UHD HDMI in, 8 x 70m HDBaseT + 2 HDMI out, De-embedded audio,. Bi-Bidirectional RS232 broadcasting. Control: RS232, PB	1735,18
Multi Format Zoned HDBaseT Splitter		
SY-HDBT-662	1x VGA, 1x DP, 4x HDMI In with 2 Matrix zoned outputs - Zone one has 3 x HDBT 70m + 1 HDMI and De-embedded audio. Zone two has 3 x HDBT 100m + 1 HDMI and De-embedded audio RS232 broadcasting. Control: RS232, IR, TCPIP	1588,65
VGA Splitters		
CX-0S-VGAL-3	3 Way VGA Lite Splitter - 70m	135,23
CX-0S-VGA-3	3 Way VGA Splitter - 120m	177,77
CX-0S-VGAL-6	6 Way VGA Lite Splitter - 70m	171,87

MATRIX + VIDEO PROCESSORS		PVP
Video Wall Processor		PVP
SY-VWP-24-18G	Dynamic Single or Multiple 4K 18G Video-Wall Processor - 2x HDMI Inputs, 4 x HDMI outputs + 2x loop outs for Cascading/ Daisy-Chain All Resolutions up to 4K60 4:4:4 in/out, Bezel compensation, Screen Stitching in/out, Pre-set configurations , De-Embedding audio, Extensive EDID and HDCP Management, Test Pattern Generator, PQ Control, CEC control OSD labels, RS232 and TCP/IP LAN control	894,92
SY-VWP-29-18G	Dynamic Single or Multiple 4K 18G Video-Wall Processor - 2x HDMI Inputs, 9 x HDMI outputs + 2x loop outs for Cascading/ Daisy-Chain, All Resolutions up to 4K60 4:4:4 in/out, Bezel compensation, Screen Stitching in/out, Pre-set configurations , De-Embedding audio. Extensive EDID and HDCP Management, Test Pattern Generator, PQ Control, CEC control OSD labels, RS232 and TCP/IP LAN control	1925,75
Seamless Matrix		
SY-SMS44-18G	Seamless 4x4 HDMI 2.0 (18 Gbps) Matrix With 4K 4:4:4 @ 60hz input/output capability. independent scaled down/up to 4K18G as well as frame rate per output . Create one or more video walls from the 4 outputs, Test pattern Generator, Audio embedding (L/R) / de-embedding (Balanced, L/R, Optical) with Flexible audio routing. IR routing follows video. EDID Support, HDCP management, Control: Front panel, IR, RS232, LAN	2645,47
SY-SMS88-18G	Seamless 8x8 HDMI 2.0 (18 Gbps) Matrix With 4K 4:4:4 @ 60hz input/ output capability. independent scaling Down/Up to 4K18G as well as frame rate Per output. Create one or more video walls from the 8 outputs. flexible Audio embedding (L/R). de-embed (L/R) per output. EDID support, HDCP management, EDID Control: Front panel, IR, RS232, LAN	4632,83
4K HDMI Matrix		
SY-MUHD-44	4K UHD 4x4 HDMI Matrix, De-embedded audio per output, HDCP Management, EDID Control - Control: Front panel, IR, RS232, TCP/IP	746,66
SY-MUHD-88	4K UHD 8x8 HDMI Matrix, De-embedded audio per output, HDCP Management, EDID Control - Control: Front panel, IR, RS232, TCP/IP	1717,88
SY-MSUHD-88	8x8 HDMI 2.0 (18 Gbps) Matrix With 4K 2K, 4:4:4 @ 60hz input/ output capability. Can scale up images from 1080P to 4K or scale down from 4K to 1080P per output. De-embeds the audio per output. Control: Front panel, IR, RS232, TCP/IP	2828,19
4K 18Gbps HDMI Matrix		
SY-MS42-18G	4x2 HDMI 2.0 (18G) Matrix with 4K to 1080 down scale function per output. De-embeds audio per output. 2x auxiliary RS232, Auto Switching. HDCP Management, EDID Control Control: Front panel, IR, RS232,LAN	596,07
SY-MSU-44-18G	4x4 HDMI 2.0 (18G) Matrix, Auto-scaling 4K to 1080P per output, 4x Analogue+4x Digital Coax audio outputs, HDCP 1.4 and HDCP 2.2 Compliant, Supports HDR10, HLG, & Dolby Vision, Extensive EDID & HDCP Management, Control from Front Panel, RS232, LAN & IR, Pre-sets, Test Pattern Generator – (Various Resolutions and Colours), Web Browser GUI	688,24
SY-MSU-88-18G	8x8 HDMI 2.0 (18G) Matrix, Auto-scaling 4K to 1080P per output, 8x Analogue + 8x Digital Coax audio outputs, 8x Analogue audio inputs, HDCP 1.4 and HDCP 2.2 Compliant, Supports HDR10, HLG, & Dolby Vision, Extensive EDID & HDCP Management, 8x Analogue + 8x Digital Coax audio outputs, 8x Analogue audio inputs, Control from Front Panel, RS232, LAN & IR, Pre-sets, Test Pattern Generator – (Various Resolutions and Colours), Web Browser GUI	1917,15
Xcalibur 18Gbps Matrix		
SY-HX150-44-18G	Xcalibur 44 18G 4x4 Matrix (4HDMI Inputs, 4 Xcalibur(cat6) outputs + 4 mirrored HDMI) - 150m @1080p or 120m @ 4K 60HZ 4:4:4, 4K60-1080p Scaler Per output, Supports HDR10, HDR10+, HDR12, HLG and Dolby vision. POC, HDCP Control, Test Pattern Generator, Audio de-embedder per output, CEC Control. Extensive EDID management. Bi-directional RS232, IR Pass through. Control: FP,RS232,LAN - Includes 4x Xcalibur Receivers	2252,36
SY-HX150-88-18G	Xcalibur 88 18G 8x8 Matrix (8HDMI Inputs, 8 Xcalibur(cat6) outputs + 8 mirrored HDMI) - 150m @1080p or 120m @ 4K 60HZ 4:4:4, 4K60-1080p Scaler Per output, Supports HDR10, HDR10+, HDR12, HLG and Dolby vision. POC, HDCP Control, Test Pattern Generator, Audio de-embedder per output, CEC Control. Extensive EDID management. Bi-directional RS232, IR Pass through. Control: FP,RS232,LAN - Includes 8x Xcalibur Receivers	4506,74
HDBaseT Matrix		
SY-MUBT-44EC-SET	4K UHD 4X3+1 Matrix (4 HDMI inputs, 3 x HDBT + 1 HDMI output). HDBT out = 4K @ 40m, 70m @ 1080P. L/R & Optical audio de-embedding on the HDMI output, EDID Management, pre-sets, Control: Front Panel RS232, IR & TCP/IP - Includes 3x HDBT EC Rx	1828,10
SY-MUBT-88EC-SET	4K UHD 4X3+1 Matrix (8 HDMI inputs, 7 x HDBT + 1 HDMI output). HDBT out = 4K @ 40m, 70m @ 1080P, L/R & Optical audio de-embedding on the HDMI output EDID Management, CEC Control. Pre-sets, Control: Front Panel RS232, IR & TCP/IP - Includes 7x HDBT EC Rx	4348,68
SY-MUHDBT-88P	8x8 4K UHD HDBaseT Matrix (4K @60Hz 4:2:0) - 8x HDMI Inputs, 8x HDBaseT + 4 mirrored outputs, HDBT out = 4K @ 40m, 70m @ 1080P, De-embedded Audio per output. Individual RS232 output routing. RS232 Pass through per HDBT output. IR Pass through. EDID Management, HDCP Control. Pre-sets, POC. Control: Front panel, IR, RS232, LAN	5200,60
Modular Matrix Chassis		
SY-MMU-88A	4K UHD 8 x 8 Modular Multi-format Matrix - Mix & Match I/O cards, independent 8x8 stereo audio - Control: Front panel, IR, RS232, TCP/IP	1938,36



SY-MMU-1616	4K UHD 16 x 16 Modular Multi-format Matrix - Mix & Match input output cards, - Control: Front panel, IR, RS232, TCP/IP	3116,52
SY-MMU-3232	4K UHD 32 x 32 Modular Multi-format Matrix - Mix & Match input output cards, - Control: Front panel, IR, RS232 TCP/IP	6767,40
SY-MMU-6464	4K UHD 64 x 64 Modular Multi-format Matrix - Mix & Match input output cards, - Control: Front panel, IR, RS232 TCP/IP	25182,05
SY-MMU-160160	4K UHD 160 x 160 Modular Multi-format Matrix - Mix & Match input output cards, - Control: Front panel, IR, RS232, TCP/IP	
Modular Matrix Input Cards		
SY-MC4UHD-I	4K UHD 4 Port HDMI with Audio Embedder input card	402,47
SY-MC4UBT-I	4K UHD 4 Port HDBaseT 70m input card with Audio Embedder Per Port, Bi-directional RS232 Per port	1388,25
SY-MC4DVS-I	Seamless 4 Port DVI 1080P input card	675,95
SY-MC4VGA-I	4 Port VGA and Audio input card	804,89
SY-MC4SD-I	4 Port 3G SDI input card, with 4 x SDI loop through	1414,24
Modular Matrix Output Cards		
SY-MC4UHD-O	4K UHD 4 Port HDMI output card with Audio De-embedder Per Port	485,66
SY-MC4UBT-O	4K UHD 4 Port HDBaseT 70m output card with Audio De-embedder Per Port, Bi-directional RS232 Per port	1388,25
SY-MC4DVS-O	Seamless 4 Port DVI 1080P output card	991,03
SY-MC4VGA-O	4 Port VGA and Audio output card	836,09
SY-MC4SD-O	4 Port 3G SDI output card, with 4 x SDI loop through	1567,10

EXTENDESRS		PVP
USB Extender Sets		PVP
SY-USB50-SET	USB 2.0 over Cat6 extender to 50m. 480 Mbps max. Supports Bulk, Control, Interrupt, and Isochronous Transfers, Only one PSU at the receiver end	174,75
SY-USB100-SET	USB 2.0 over Cat6 extender to 100m, 170 Mbps max. Supports Bulk, Control, Interrupt, and Isochronous Transfers	268,33
SY-HX150-11U-18G-SET	Xcalibur 11U HDMI + USB Extender SET. 4K60 4:4:4 +USB – 120m, Auto 4K to 1080p intelligent Scaler. USB 2.0, 170 Mbps max. Supports Bulk, Control, Interrupt, and Isochronous Transfers, 1080p – 150m, 4K60 4:4:4 – 120m, Auto 4K to 1080p intelligent Scaler, HDCP 1.4/2.2 compliant ,Auto HDCP control, EDID management, Bi-directional IR, PoC	639,56
Xcalibur 18Gbps Extender Sets		
SY-HX150-11-18G-SET	Xcalibur 11 4K 18G Extender. 150m @1080p or 120m @ 4K 60HZ 4:4:4 , HDMI local loop out, 4K60-1080p Scaler, Supports HDR10, HDR10+, HDR12, HLG and Dolby vision. POC, HDCP Management, Test Pattern Generator, Audio de-embedder (Receiver) , Bi Directional RS232, IR Passthrough.	372,32
Xcalibur 18Gbps Transmitter		
SY-HX150-11-18G-T	Xcalibur 11 4K 18G Transmitter. 150m @1080p or 120m @ 4K 60HZ 4:4:4 , HDMI local loop out, 4K60-1080p Scaler, Supports HDR10, HDR10+, HDR12, HLG and Dolby vision. POC, HDCP Management, Test Pattern Generator, Bi Directional RS232, IR Passthrough. (Includes 1 x PSU)	218,42
HDBaseT Extender Sets		
SY-HDBT-70-SE-SET	Slim70 Edge . Ultra slim HDBT Extender Set (11.5mm). 4K 60Hz 4:2:0 to 40m, 1080p to 70m. With bidirectional full RS232 (Tx, Rx, CTS, RTS). Bi-directional IR. iPoC	492,26
SY-HDBT-100-S-SET	Slim 100 . Ultra Slim long range 4K UHD HDBaseT Set, 4K UHD @60Hz 4:2:0 to 70m, Boost Mode 1080p to 150m.PoC , Bi-Directional RS232, 4 Ethernet Ports, IR Passthrough	689,42
SY-HDBT-70-SLIM-ARC-	ARC HDBT extender (11.5mm). 4K UHD to 40m, 1080p to 70m, RS232, IR. ARC, Toslink, L/R input and output	477,91
SY-HDBT-100-ARC-SET	ARC HDBT Long range Extender set. 4K UHD @60Hz 4:2:0 to 100m, 1080p to 150m. ARC, RS232, IR, Ethernet (4x). ARC or Toslink input (Rx) with ARC, Toslink, L/R output	842,25
SY-HDBT-70SP-SET	Slim Pro . Ultra Slim PRO HDBaseT Extender set - 70m @1080p or 40m @4K, 4K60-1080p Scaler, HDCP 1.4/2.2 management, Test Pattern Generator, Video Keep Alive option, Audio de-embedder (TX), Cable length measurement, Temperature diagnostics - reporting and auto recover, Extensive EDID management, HPD control ,Bi-directional IR, 2x Bi-directional RS232	497,06
HDBaseT Receivers		
SY-HDBT-70-SE-R	Ultra Slim HDBaseT Receiver (11.5mm). 4K 60Hz 4:2:0 to 40m, 1080p to 70m. With bidirectional full RS232 (Tx, Rx, CTS, RTS). Bidirectional IR. iPoC	261,67
SY-HDBT-100-SR	Ultra Slim long range 4K UHD HDBaseT Receiver, 4K UHD @60Hz 4:2:0 to 70m, Boost Mode 1080p to 150m.PoC , Bi-Directional RS232, 2 Ethernet Ports, IR Passthrough	358,56
SY-HDBT-70SP-R	Slim Pro . Ultra Slim PRO HDBaseT Receiver - 70m @1080p or 40m @4K, 4K60-1080p Scaler, HDCP 1.4/2.2 management, Test Pattern Generator, Video Keep Alive option, Cable length measurement, Temperature diagnostics - reporting and auto recover, Extensive EDID management, HPD control ,Bi-directional IR, 2x Bi-directional RS232	268,96
HDBaseT Transmitters		
SY-HDBT-70-SE-T	Ultra Slim Transmitter (11.5mm). 4K 60Hz 4:2:0 to 40m, 1080p to 70m. With bidirectional full RS232 (Tx, Rx, CTS, RTS). Bidirectional IR. iPoC (Includes 1 x PSU)	272,30
SY-HDBT-100-ST	Ultra Slim long range 4K UHD HDBaseT Transmitter, 4K UHD @60Hz 4:2:0 to 70m, Boost Mode 1080p to 150m.PoC , Bi-Directional RS232, 2 Ethernet Ports, IR Passthrough (Includes 1 x PSU)	382,20
SY-HDBT-70SP-T	Slim Pro . Ultra Slim PRO HDBaseT Transmitter - 70m @1080p or 40m @4K, 4K60-1080p Scaler, HDCP 1.4/2.2 management, Test Pattern Generator, Video Keep Alive option, Audio de-embedder (TX), Cable length measurement, Temperature diagnostics - reporting and auto recover, Extensive EDID management, HPD control ,Bi-directional IR, 2x Bi-directional RS232 (Includes 1 x PSU)	285,77
Multi Format HDBaseT Transmitters		

SY-MFT62	Compact 4K UHD Matrix - 4x HDMI 1xVGA + Audio, 1xDisplayPort inputs, HDBaseT output with a Matrix HDMI Output, 4K @40m 1080P@70m. iPOC, Bi-Directional RS232, IR passthrough, De-embedded audio. Auto RS232 Power on/off triggered from signal presence. Single or dual Auto Switching via video signal sensing. HDCP Control, EDID Management, Control: Pushbutton, RS232, , Contact closure	833,58
SY-MFT62-SET	Compact 4K UHD Matrix - 4x HDMI 1xVGA + Audio, 1xDisplayPort inputs, HDBaseT output with a Matrix HDMI Output, 4K @40m 1080P@70m. iPOC, Bi-Directional RS232, IR passthrough, De-embedded audio. Auto Power on/off from signal presence. Single or dual Auto Switching via video signal sensing. HDCP Control, EDID Management, Control: Pushbutton, RS232, , Contact closure Includes SY HDBaseT Receiver	1064,00
SY-MFT-31C-W	4K UHD Wall-mounted Multi Format HDBaseT extender - 2xHDMI + 1x USB-C Inputs -1x HDBT Output. Bi-directional RS232 - 4K 60Hz 4:2:0 to 40m, 1080p to 70m. Auto/FP/RS232 input selection & remote display ON/OFF control, CEC Control, EDID Management, HDCP Control, IR pass through from FP or Rear connection PoC - 2-gang White UK faceplate	688,24
SY-MFT-31C-W-SET	4K UHD Wall-mounted Multi Format HDBaseT extender - 2xHDMI + 1x USB-C Inputs , 1x HDBT Output. Bi-directional RS232 - 4K 60Hz 4:2:0 to 40m, 1080p to 70m. Auto/FP/RS232 input selection & remote display ON/OFF control, CEC Control, EDID management, HDCP Control, IR pass through from FP or Rear connection PoC - 2-gang White UK faceplate - Includes SY HDBaseT Receiver	918,66
SY-MFT-31C	4K UHD Wall-mounted Multi Format HDBaseT extender - 2xHDMI + 1x USB-C Inputs -1x HDBT Output. Bi-directional RS232 - 4K 60Hz 4:2:0 to 40m, 1080p to 70m. Auto/FP/RS232 input selection & remote display ON/OFF control, CEC Control, EDID Management, HDCP Control, IR pass through from FP or Rear connection PoC - 2-gang brushed aluminium UK faceplate	688,24
SY-MFT-31C-SET	4K UHD Wall-mounted Multi Format HDBaseT extender - 2xHDMI + 1x USB-C Inputs - 1x HDBT Output. Bi-directional RS232 - 4K 60Hz 4:2:0 to 40m, 1080p to 70m. Auto/FP/RS232 input selection & remote display ON/OFF control, CEC Control, EDID Management, HDCP Control, IR pass through from FP or Rear connection PoC - 2-gang brushed aluminium UK faceplate - Includes SY HDBaseT Receiver	918,66
SY-MFT-31V-W	4K UHD Wall-mounted Multi Format HDBaseT extender - 2xHDMI + 1x VGA+AUDIO Inputs -1x HDBT Output. Bi-directional RS232 - 4K 60Hz 4:2:0 to 40m, 1080p to 70m. Built in Up/Down Scaler up to 4K30 Auto/FP/RS232 input selection & remote display ON/OFF control, CEC Control, EDID management, HDCP Control, IR pass through from FP or Rear connection PoC - 2-gang White UK faceplate	709,51
SY-MFT-31V-W-SET	4K UHD Wall-mounted Multi Format HDBaseT extender - 2xHDMI + 1x VGA+AUDIO Inputs -1x HDBT Output. Bi-directional RS232 - 4K 60Hz 4:2:0 to 40m, 1080p to 70m. Built in Up/Down Scaler up to 4K30 Auto/FP/RS232 input selection & remote display ON/OFF control, CEC Control, EDID management, HDCP Control, IR pass through from FP or Rear connection PoC - 2-gang White UK faceplate -Includes SY HDBaseT Receiver	939,93
SY-MFT-31V	4K UHD Wall-mounted Multi Format HDBaseT extender - 2xHDMI + 1x VGA+AUDIO Inputs -1x HDBT Output. Bi-directional RS232 - 4K 60Hz 4:2:0 to 40m, 1080p to 70m. Built in Up/Down Scaler up to 4K30 Auto/FP/RS232 input selection & remote display ON/OFF control, CEC Control, EDID management, HDCP Control, IR pass through from FP or Rear connection PoC - 2-gang brushed aluminium UK faceplate	709,51
SY-MFT-31V-SET	4K UHD Wall-mounted Multi Format HDBaseT extender - 2xHDMI + 1x VGA+AUDIO Inputs -1x HDBT Output. Bi-directional RS232 - 4K 60Hz 4:2:0 to 40m, 1080p to 70m. Built in Up/Down Scaler up to 4K30 Auto/FP/RS232 input selection & remote display ON/OFF control, CEC Control, EDID management, HDCP Control, IR pass through from FP or Rear connection PoC - 2-gang brushed aluminium UK faceplate -Includes SY HDBaseT Receiver	939,93
SY-MFT-31CE	4K UHD Wall-mounted Multi Format HDBaseT extender - 2xHDMI + 1x USB-C Inputs -1x HDBT Output. Bi-directional RS232 - 4K 60Hz 4:2:0 to 40m, 1080p to 70m. Auto/FP/RS232 input selection & remote display ON/OFF control, CEC Control, EDID management, HDCP Control, IR pass through from FP or Rear connection PoC - 2-gang brushed aluminium EU Faceplate	688,24
SY-MFT-31CE-SET	4K UHD Wall-mounted Multi Format HDBaseT extender - 2xHDMI + 1x USB-C Inputs -1x HDBT Output. Bi-directional RS232 - 4K 60Hz 4:2:0 to 40m, 1080p to 70m. Auto/FP/RS232 input selection & remote display ON/OFF control, CEC Control, EDID management, HDCP Control, IR pass through from FP or Rear connection PoC - 2-gang brushed aluminium EU Faceplate - Includes SY HDBaseT Receiver	918,66
SY-MFT-31VE	4K UHD Wall-mounted Multi Format HDBaseT extender - 2xHDMI + 1x VGA+AUDIO Inputs -1x HDBT Output. Bi-directional RS232 - 4K 60Hz 4:2:0 to 40m, 1080p to 70m. Auto/FP/RS232 input selection & remote display ON/OFF control, CEC Control, EDID management, HDCP Control, IR pass through from FP or Rear connection PoC - 2-gang brushed aluminium EU faceplate	709,51
SY-MFT-31VE-SET	4K UHD Wall-mounted Multi Format HDBaseT extender - 2xHDMI + 1x VGA+AUDIO Inputs -1x HDBT Output. Bi-directional RS232 - 4K 60Hz 4:2:0 to 40m, 1080p to 70m. Auto/FP/RS232 input selection & remote display ON/OFF control, CEC Control, EDID management, HDCP Control, IR pass through from FP or Rear connection PoC - 2-gang brushed aluminium EU faceplate - Includes SY HDBaseT Receiver	939,93
FIBRE Extenders		
SY-UFM-4K-SET	4K30 UHD Simplex (1 Fibre) extender Dongle Set - Small form factor, 300m with Single modes, 400m with multi mode. Transmission over a Single core LC-LC Fibre	812,41
SY-UHD-FM-SET	4K UHD Fibre KVM SET, 1x HDMI Input, 4 x USB A + 1x USB B (On both TX +RX) SFP+ -LC connector - twin single-mode fibre cable @1.4KM, Bi-Directional RS232 Pass through. USB Touch screen support. USB HID Support. Hot Key control.	1375,96
VGA Extender Sets		
CX-0M-VP-SET	CatX Mini VP SET - 150m VGA Extender, POC (powered from source) (excludes PSU)	288,85
CX-0M-AV-SET	CatX Mini AV SET - 150m VGA + Audio Extender (includes 1 x PSU)	312,48
VGA Transmitters		
CX-0M-VP-T	CatX Mini VP TX - VGA + PoC 300m	177,77
CX-0M-AV-T	CatX Mini AV TX - VGA + Audio 300m	189,59
VGA Receivers		
CX-0M-VP-R	CatX Mini VP Rx - 150m VGA + Power	163,59
CX-0M-AV-R	CatX Mini AV Rx - 150m VGA + Audio (includes PSU)	175,41

AUDIO		PVP
AMPS		PVP
SY-1A-25R	2x 25W compact Audio Amplifier. 2x 25W into 8ohm at 24V. Balanced Line In and RS232 control	368,02
SY-1A-25W-BW	2x 25W Wall-mounting Audio Amplifier. 2x 25W into 8ohm at 24V. Balanced Line In, RS232 and rotary volume. UK 2-gang white faceplate	336,11
SY-2A-20W	2x 20W Power Amp. 2 switchable Audio inputs + Microphone/Line with Mixer, Auto Ducking, 2x 20W Control: Front panel, IR, RS232	307,75
SY-2A-100W	2x 50W Power Amp. Input: Mic, L/R, Optical Toslink. Output: L/R Line out, 2x 50W Power Amp. Control: RS232, IR, LAN	507,69
SY-3A-40W	70/100V Line out Amp, 3 switchable Audio inputs + Microphone/Line with Mixer, Auto ducking, 40W 70/100V Line output, Control: Front panel, IR, RS232	376,67
18GBPS De-Embedder		
SY-AD-18G	4K 18 Gbps, HDMI 2.0 Coax S/PDIF, L/R & Balanced Audio Extractor/De-Embedder	150,36
De-Embedder		
SY-HD-3.5AD	HDMI 1.3 Stereo De-embedder with HDMI Repeater	128,52
Line Level Controller		
SY-LVC	In-line Volume Controller. Dual balanced/unbalanced line in and line outputs with attenuation. RS232 controllable	203,77

ACCESORIES		PVP
Signal Management		PVP
SY-EDID Master	EDID Master Dongle - Manipulates the built in or learnt EDID with a pre-set settings	79,41
Input Plates		
SY-WP-H-BW	HDMI single gang wall input plate. UK white.	31,20
SY-WP-H-EW	Euro HDMI single gang wall input plate EU white.	31,20
SY-WP-H-BA	HDMI single gang wall input plate. UK brushed aluminium	41,59
SY-WP-H-EA	Euro HDMI single gang wall input plate EU brushed aluminium	41,59
SY-WP-HV-BW	HDMI and VGA + Audio single gang wall input plate. UK white.	41,59
SY-WP-HV-EW	Euro HDMI and VGA single gang wall input plate EU white.	41,59
SY-WP-HV-BA	HDMI and VGA + Audio single gang wall input plate. UK brushed aluminium	51,05
SY-WP-HV-EA	Euro HDMI and VGA single gang wall input plate EU brushed aluminium	51,05
SY-WP-HVU-BW	HDMI, VGA + Audio and USB B double gang wall input plate. UK white	50,10
SY-WP-HVU-EW	Euro HDMI, VGA and USB B double gang wall input plate EU white	50,10
SY-WP-HVU-BA	HDMI, VGA + Audio and USB B double gang wall input plate. UK brushed aluminium	59,55
SY-WP-HVU-EA	Euro HDMI, VGA and USB B double gang wall input plate EU brushed aluminium	59,55
SY-WP-HVU-SW	HDMI, VGA + Audio and USB A single gang wall input plate. UK white	45,38
SY-WP-2HVU-BW	2 x HDMI, VGA + Audio and USB B double gang wall input plate. UK white	51,99
Control Accessories		
SY-KC-LEGEND PACK	Legend sheet + 10 Button Caps	18,91
SY-KP-LV2-DIN	Dual Low Voltage Change Over Relay controllable from KP series output ports. Suitable for switching external lighting/screen controllers. DIN rail mount.	74,68
SY-HV2C-DIN	Dual High Voltage Relay controllable from KP series output ports. Provides simultaneous or independent control of common mains power via 2 relays. DIN rail mount.	74,68
SY-HV2M-B2	Dual High Voltage Motor Drive Relay controllable from KP series output ports. Suitable for direct control of projections screen, hoists, shades etc. Provides protection against live outputs being switched on simultaneously. ABS Screw Mountable Box	74,68
SY-RSM4	Serial Matrix with 4 bi-directional RS232 ports fully configurable via Mini USB - Device Suite software.	233,49
SY-RB6	Compact 6 Low Voltage Relay Unit with RS232 control	242,00
SY-IRL	Infra-red Learner for use with SY Device Suite software to learn Infra-red controls via USB port.	88,86
SY-IRH-1F	Infra-red transmitter head with blink. Bare ends.	11,34
HDBaseT Accessories		
SY-IR-HDBT-SLIM-7/1	IR Sets for HDBT Extenders	8,51
Audio Accessories		
SY-IR-2A-20W	IR kit with remote control for 2A-20W amplifier	19,85
SY-IR-3A-40W	IR kit with remote control for 3A-40W amplifier	19,85
Power		
P-USB-1.3-350	USB Power take off - 350mm long	2,36
P-USB-1.3-700	USB Power take off - 700mm long	3,31
PS-5V1A-1.3-UK	5V 1A UK PSU - 1.3mm DC Jack	16,54
PS-5V1A-1.3-EU	5V 1A EU PSU - 1.3mm DC Jack	16,54
PS-5V2A-1.3-ILP	In-Line PSU -Multi purpose. IEC Input, IEC output + 1.3mm DC Jack output	34,03
PS-5V1.6A-1.3x4	Multi-drop 5V PSU - 4 x 1.3mm DC Jack	67,12
PS-5V3A-1.3x8	Multi-drop 5V PSU - 8 x 1.3mm DC Jack	83,19
SY-KP-PS-12V1-1M	PSU for KP controller with 1M lead	28,36
SY-KP-PS-12V1 - 3M	PSU for KP controller with 3M lead	33,09
SY-PS-24/1U	24V PSU With 2.1mm Connector	28,36
SY-PS-24x4	4 way 24V Power Supply With 2.1mm Connector	73,73
SY-PS-48/1U	48V PSU with Two Pin Phoenix Connectors	28,36
SY-PS-48x4	4 way 48V Power Supply with Two Pin Phoenix Connectors	73,73
MOUNTS & BRACKETS		
SY-RE-MSU44	19" Rack mounting Bracket for MSU-44-18G	20,63